

## TEST REPORT

Test Report # 23W-005537 Date of Report Issue: May 9, 2023  
Date of Sample Received: April 26, 2023 Pages: Page 1 of 9

## CLIENT INFORMATION:

Company: Polyconcept GBS  
Recipient: Kathy Lu  
Recipient Email: kathy.lu@polyconceptgbs.com



## SAMPLE INFORMATION:

Description: Metro 15" Computer Briefcase  
Article No.: 3200-07BK Purchase Order Number: 2026975 1 1/  
2026975 1 2  
Factory No.: 13521 Toy Co./Agency: -  
Vendor No.: 10502 Country of Origin: China  
Country of Distribution: Canada, United States Labeled Age Grade: -  
Quantity Submitted: 2 pcs Requested Age Grade: -  
Testing Period: 04/28/2023-05/08/2023 Tested Age Grade: -

## OVERALL RESULT:

PASS

Please refer to the following pages for test result summary and appropriate notes.

QIMA (HANGZHOU) TESTING CO., LTD.

QIMA (HANGZHOU) TESTING CO., LTD.

Jeremy Xu

Thetis Tang

Jeremy Xu  
Chemical Laboratory Supervisor

Thetis Tang  
Textile Laboratory Supervisor



QIMA (Hangzhou) Testing Co., Ltd. • Room 401,4-5/F, Building 1, No.1213 Huojia South Road, Puyuan Subdistrict, Binjiang District, Hangzhou, China  
Email: [Labtesting@qima.com](mailto:Labtesting@qima.com) • Tel: (86) 571 8999 7158.

Test(s) marked with 'Ø' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.  
If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule

(<https://www.qima.com/conditions-of-service#decisionRule>).

This test report may not be reproduced in whole or in part, without written approval of QIMA (Hangzhou) Testing Co., Ltd.

**TEST RESULTS SUMMARY:**

At the request of the client, the following tests were conducted:

| CONCLUSION | TEST(S) CONDUCTED  |
|------------|--|
| PASS       | California Proposition 65, Total Lead in Paints and Surface Coatings |
| PASS       | California Proposition 65, Total Lead in Substrate Materials         |
| PASS       | Client's Requirement, Phthalates content                             |
| PASS       | Marking of Imported Goods Order, (C.R.C., c.535), Country of Origin  |
| PASS       | 19 CFR 134.11, Country of Origin                                     |



QIMA (Hangzhou) Testing Co., Ltd. ♦ Room 401,4-5/F, Building 1, No.1213 Huojia South Road, Puyan Subdistrict, Binjiang District, Hangzhou, China  
Email: [Labtesting@qima.com](mailto:Labtesting@qima.com) ♦ Tel: (86) 571 8999 7158.

Test(s) marked with 'Ø' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.  
If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule

(<https://www.qima.com/conditions-of-service#decisionRule>).

This test report may not be reproduced in whole or in part, without written approval of QIMA (Hangzhou) Testing Co., Ltd.

## DETAILED RESULTS:

## California Proposition 65, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No.    | 14                | ---               | ---               | ---               | ---               | Limit<br>(mg/kg) |
|-----------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| Test Item       | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) |                  |
| Total Lead (Pb) | 17                | ---               | ---               | ---               | ---               | 90               |
| Conclusion      | PASS              | ---               | ---               | ---               | ---               |                  |

## Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15mg/kg)

## Remark:

The specification is quoted from client's requirement.



QIMA (Hangzhou) Testing Co., Ltd. ♦ Room 401,4-5/F, Building 1, No.1213 Huojia South Road, Puyan Subdistrict, Binjiang District, Hangzhou, China

Email: [Labtesting@qima.com](mailto:Labtesting@qima.com) ♦ Tel: (86) 571 8999 7158.

Test(s) marked with 'Ø' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule

<https://www.qima.com/conditions-of-service#decisionRule>.

This test report may not be reproduced in whole or in part, without written approval of QIMA (Hangzhou) Testing Co., Ltd.

**DETAILED RESULTS:****California Proposition 65, Total Lead in Substrate Materials**

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No.      | 1+5+7             | 2+8+16            | 3                 | 4                 | 6                 | Limit<br>(mg/kg) |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| Test Item         | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) |                  |
| Total Lead (Pb)   | ND                | ND                | 34                | 19                | 28                | 100              |
| <b>Conclusion</b> | PASS              | PASS              | PASS              | PASS              | PASS              |                  |

| Specimen No.      | 9+11+12           | 10                | 13                | 15                | 17                | Limit<br>(mg/kg) |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| Test Item         | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) |                  |
| Total Lead (Pb)   | ND                | ND                | ND                | 31                | ND                | 100              |
| <b>Conclusion</b> | PASS              | PASS              | PASS              | PASS              | PASS              |                  |

| Specimen No.      | 18                | 19                | 20                | ---               | ---               | Limit<br>(mg/kg) |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| Test Item         | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) |                  |
| Total Lead (Pb)   | ND                | 61                | ND                | ---               | ---               | 100              |
| <b>Conclusion</b> | PASS              | PASS              | PASS              | ---               | ---               |                  |

**Note:**

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

**Remark:**

The specification is quoted from client's requirement.



QIMA (Hangzhou) Testing Co., Ltd. • Room 401,4-5/F, Building 1, No.1213 Huojia South Road, Puyuan Subdistrict, Binjiang District, Hangzhou, China

Email: [Labtesting@qima.com](mailto:Labtesting@qima.com) • Tel: (86) 571 8999 7158.

Test(s) marked with 'Ø' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule

<https://www.qima.com/conditions-of-service#decisionRule>.

This test report may not be reproduced in whole or in part, without written approval of QIMA (Hangzhou) Testing Co., Ltd.

## DETAILED RESULTS:

## Client's Requirement, Phthalates content

Test Method: CPSC-CH-C1001-09.4  
 Analytical Method: Gas Chromatography with Mass Spectrometry

| Specimen No.                        |                          | 2+8+16            | 6                 | 10                | 13                | Limit<br>(mg/kg) |
|-------------------------------------|--------------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| Test Item                           | CAS No.                  | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) |                  |
| Dibutyl phthalate (DBP)             | 84-74-2                  | ND                | ND                | ND                | ND                | 1000             |
| Benzyl butyl phthalate (BBP)        | 85-68-7                  | ND                | ND                | ND                | ND                | 1000             |
| Di-(2-ethylhexyl) phthalate (DEHP)  | 117-81-7                 | ND                | ND                | ND                | ND                | 1000             |
| Diisononyl phthalate (DINP)         | 28553-12-0<br>68515-48-0 | ND                | ND                | ND                | ND                | 1000             |
| Diisodecyl phthalate (DIDP)         | 26761-40-0<br>68515-49-1 | ND                | ND                | ND                | ND                | 1000             |
| Di-n-octyl phthalate (DnOP)         | 117-84-0                 | ND                | ND                | ND                | ND                | 1000             |
| Di-n-hexyl phthalate (DHEXP / DnHP) | 84-75-3                  | ND                | ND                | ND                | ND                | 1000             |
| Dicyclohexyl phthalate (DCHP)       | 84-61-7                  | ND                | ND                | ND                | ND                | 1000             |
| Diisobutyl phthalate (DIBP)         | 84-69-5                  | ND                | ND                | ND                | ND                | 1000             |
| Di-n-pentyl phthalate (DPENP)       | 131-18-0                 | ND                | ND                | ND                | ND                | 1000             |
| Conclusion                          |                          | PASS              | PASS              | PASS              | PASS              |                  |

## Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.



QIMA (Hangzhou) Testing Co., Ltd. • Room 401,4-5/F, Building 1, No.1213 Huojia South Road, Puyuan Subdistrict, Binjiang District, Hangzhou, China

Email: [Labtesting@qima.com](mailto:Labtesting@qima.com) • Tel: (86) 571 8999 7158.

Test(s) marked with 'Ø' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule

<https://www.qima.com/conditions-of-service#decisionRule>.

This test report may not be reproduced in whole or in part, without written approval of QIMA (Hangzhou) Testing Co., Ltd.

## DETAILED RESULTS:

## Client's Requirement, Phthalates content

Test Method: CPSC-CH-C1001-09.4  
 Analytical Method: Gas Chromatography with Mass Spectrometry

| Specimen No.                        |                          | 14                | 18                | 20                | ---               | Limit<br>(mg/kg) |
|-------------------------------------|--------------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| Test Item                           | CAS No.                  | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) |                  |
| Dibutyl phthalate (DBP)             | 84-74-2                  | ND                | ND                | ND                | ---               | 1000             |
| Benzyl butyl phthalate (BBP)        | 85-68-7                  | ND                | ND                | ND                | ---               | 1000             |
| Di-(2-ethylhexyl) phthalate (DEHP)  | 117-81-7                 | ND                | ND                | ND                | ---               | 1000             |
| Diisononyl phthalate (DINP)         | 28553-12-0<br>68515-48-0 | ND                | ND                | ND                | ---               | 1000             |
| Diisodecyl phthalate (DIDP)         | 26761-40-0<br>68515-49-1 | ND                | ND                | ND                | ---               | 1000             |
| Di-n-octyl phthalate (DnOP)         | 117-84-0                 | ND                | ND                | ND                | ---               | 1000             |
| Di-n-hexyl phthalate (DHEXP / DnHP) | 84-75-3                  | ND                | ND                | ND                | ---               | 1000             |
| Dicyclohexyl phthalate (DCHP)       | 84-61-7                  | ND                | ND                | ND                | ---               | 1000             |
| Diisobutyl phthalate (DIBP)         | 84-69-5                  | ND                | ND                | ND                | ---               | 1000             |
| Di-n-pentyl phthalate (DPENP)       | 131-18-0                 | ND                | ND                | ND                | ---               | 1000             |
| Conclusion                          |                          | PASS              | PASS              | PASS              | ---               |                  |

## Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)



QIMA (Hangzhou) Testing Co., Ltd. • Room 401,4-5/F, Building 1, No.1213 Huojia South Road, Puyan Subdistrict, Binjiang District, Hangzhou, China  
 Email: [Labtesting@qima.com](mailto:Labtesting@qima.com) • Tel: (86) 571 8999 7158.

Test(s) marked with 'Ø' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.  
 If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule

(<https://www.qima.com/conditions-of-service#decisionRule>).

This test report may not be reproduced in whole or in part, without written approval of QIMA (Hangzhou) Testing Co., Ltd.

## DETAILED RESULTS:

## Marking of Imported Goods Order, (C.R.C., c.535), Country of Origin

| Test Parameters  | Observation                |
|--|----------------------------|
| Goods imported into Canada shall be marked, stamped, branded or labelled in legible English or French words, in a conspicuous place that shall not be covered or obscured by any subsequent attachments or arrangements, so as to indicate the country of origin.<br>It shall be as nearly indelible and permanent as the nature of the goods will permit. | Country of Origin Markings |
| Conclusion   | PASS                       |

## 19 CFR 134.11, Country of Origin

| Test Parameters   | Observation   | Conclusion |
|-------------------|---|------------|
| Country of Origin | Present on product and is visible to the consumer at the point of sale. | PASS       |



## SPECIMEN DESCRIPTION:

| Specimen No. | Specimen Description         | Location   |
|--------------|------------------------------|--|
| 1            | Black textile                | Zipper cloth   |
| 2            | Black soft plastic           | Zipper teeth   |
| 3            | Silvery metal                | Zipper head  |
| 4            | Silvery metal                | Fixed buckle/adjustable buckle frame/pin/lobster clasp push rod/frame/base |
| 5            | Black textile                | Handle/straps/velcro belt  |
| 6            | Black synthetic leather      | Main body  |
| 7            | Black textile                | Velcro loop  |
| 8            | Black soft plastic           | Velcro hook  |
| 9            | Black textile                | Side/mesh hole pocket edge   |
| 10           | Black non-woven textile      | Lining edge  |
| 11           | Grey textile                 | Lining/pocket lining of front/back   |
| 12           | Black mesh hole textile      | Mesh hole pocket   |
| 13           | Black/red coated white label | Label  |
| 14           | Black coating                | Lining zipper head   |
| 15           | Silvery metal                | Lining zipper head   |
| 16           | Black soft plastic           | Lining zipper teeth  |
| 17           | Black textile                | Lining zipper cloth  |
| 18           | White foam                   | Pocket filler of lining  |
| 19           | Silvery metal                | Cap/socket/stud/prong  |
| 20           | Translucent plastic          | Prong gasket   |



QIMA (Hangzhou) Testing Co., Ltd. • Room 401,4-5/F, Building 1, No.1213 Huojia South Road, Puyan Subdistrict, Binjiang District, Hangzhou, China

Email: [Labtesting@qima.com](mailto:Labtesting@qima.com) • Tel: (86) 571 8999 7158.

Test(s) marked with 'Ø' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule

(<https://www.qima.com/conditions-of-service#decisionRule>).

This test report may not be reproduced in whole or in part, without written approval of QIMA (Hangzhou) Testing Co., Ltd.



**SAMPLE PHOTO:**



-End Report-



QIMA (Hangzhou) Testing Co., Ltd. ♦ Room 401,4-5/F, Building 1, No.1213 Huojia South Road, Puyuan Subdistrict, Binjiang District, Hangzhou, China

Email: [Labtesting@qima.com](mailto:Labtesting@qima.com) ♦ Tel: (86) 571 8999 7158.

Test(s) marked with 'Ø' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule

(<https://www.qima.com/conditions-of-service#decisionRule>).

This test report may not be reproduced in whole or in part, without written approval of QIMA (Hangzhou) Testing Co., Ltd.