

TEST REPORT

Test Report # 22W-018853 Date of Report Issue: December 5, 2022 Date of Sample Received: November 21, 2022 Pages: Page 1 of 14

CLIENT INFORMATION:

Company: Polyconcept GBS

Recipient: kathy lu

Recipient Email: kathy.lu@polyconceptgbs.com

SAMPLE INFORMATION:

Description: Essential Insulated 15" Computer Backpack

Stone Backpack

Article No.: SM-5903GA, SM-5912GA Purchase Order Number: M000031889 1 1

M000031861 1 1

Α1

Factory No.: 13461, 3581 Toy Co./Agency: -

Vendor No.: 10593 Country of Origin: China

Country of Distribution: United States Labeled Age Grade:
Quantity Submitted: 2 PCS PER STYLE Requested Age Grade: -

Testing Period: 11/23/2022-11/30/2022 Tested Age Grade: -

OVERALL RESULT:

PASS

Please refer to the following pages for test result summary and appropriate notes.

QIMA (HANGZHOU) TESTING CO., LTD.

loremy. Xu

Jeremy Xu

RC-CSHZ-R079

Chemical Laboratory Supervisor

(Hangzhou) Testing Co., Ltd. • Room 401,4-5/F, Building 1,No.1213 Huoju South Road, Puyan Subdistrict, Binjiang District, Hangzhou, China Email: Labtesting@qima.com • Tel: (86) 571 8999 7158.



Test Report # 22W-018853 Pages: Page 2 of 14

TEST RESULTS SUMMARY:

RC-CSHZ-R079

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings
PASS	CPSIA Section 101, Total Lead in Substrate Materials
PASS	California Proposition 65, Total Lead in Paints and Surface Coatings
PASS	California Proposition 65, Total Lead in Substrate Materials
PASS	Client's requirement, Bisphenol A content
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)
PASS	Client's Requirement, Phthalates content
PASS	FDA 21 CFR 177.1350, Ethylene-Vinyl Acetate Copolymers



Test Report # 22W-018853 Pages: Page 3 of 14

DETAILED RESULTS:

CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1					Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Lead (Pb)	ND					90
Conclusion	PASS					

Note:

RC-CSHZ-R079

mg/kg =Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)



Test Report # 22W-018853 Pages: Page 4 of 14

DETAILED RESULTS:

CPSIA Section 101, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	2	3	4+10	5+7+8	6+9+15	Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Lead (Pb)	18	17	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	11+16+17	12	13+14	18+20	19	Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Lead (Pb)	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	21					Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Lead (Pb)	ND					100
Conclusion	PASS					

Note:

RC-CSHZ-R079

mg/kg =Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.



Test Report # 22W-018853 Pages: Page 5 of 14

DETAILED RESULTS:

California Proposition 65, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1					Limit
Tost Itom	Result	Result	Result	Result	Result	(mg/kg)
Test Item	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(8/8/
Total Lead (Pb)	ND					90
Conclusion	PASS					

Note:

mg/kg =Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15mg/kg)

Remark:

RC-CSHZ-R079

The specification is quoted from client's requirement.

A1



Test Report # 22W-018853 Pages: Page 6 of 14

DETAILED RESULTS:

California Proposition 65, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	2	3	4+10	5+7+8	6+9+15	Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Lead (Pb)	18	17	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	11+16+17	12	13+14	18+20	19	Limit
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Total Lead (Pb)	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	21					Limit
Test Item	Result	Result	Result	Result	Result	(mg/kg)
rest item	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	, 6
Total Lead (Pb)	ND					100
Conclusion	PASS					

Note:

mg/kg =Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit =15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

RC-CSHZ-R079

The specification is quoted from client's requirement.



Test Report # 22W-018853 Pages: Page 7 of 14

DETAILED RESULTS:

Client's requirement, Bisphenol A content

Test Method: In-House Method

Analytical Method: Liquid Chromatography-Mass Spectrometer Mass Spectrometer (LC-MS/MS)

Specimen No.		21				Client's
Task Ikawa	CACNI	Result	Result	Result	Result	limit
Test Item CAS No.		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
Bisphenol A (BPA)	80-05-7	ND				Not Detected
Conclusi	ion	PASS				

Note:

RC-CSHZ-R079

mg/kg=milligram per kilogram
ND=Not Detected(Reporting limit = 1.0mg/kg)



Test Report # 22W-018853 Pages: Page 8 of 14

DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen N	0.	1	4+10	12	13+14	Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	1000
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	ND	ND	ND	1000
Conclusion	1	PASS	PASS	PASS	PASS	

Note:

mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

RC-CSHZ-R079

The specification is quoted from client's requirement.



Test Report # 22W-018853 Pages: Page 9 of 14

DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen N	Specimen No.		21			Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND			1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND			1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND			1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND			1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND			1000
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	ND			1000
Conclusion	1	PASS	PASS			

Note:

mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Remark.

RC-CSHZ-R079

The specification is quoted from client's requirement.

A1



Test Report # 22W-018853 Pages: Page 10 of 14

DETAILED RESULTS:

Client's Requirement, Phthalates content

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		1	4+10	12	13+14	Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	1000
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	ND	ND	ND	ND	1000
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	ND	1000
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	ND	1000
Di-n-pentyl phthalate (DPENP)	131-18-0	ND	ND	ND	ND	1000
Conclusion		PASS	PASS	PASS	PASS	

Note:

RC-CSHZ-R079

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.



Test Report # 22W-018853 Pages: Page 11 of 14

DETAILED RESULTS:

Client's Requirement, Phthalates content

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		19	21			Limit
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	(mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	ND			1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND			1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND			1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND			1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND			1000
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND			1000
Di-n-hexyl phthalate (DHEXP / DnHP)	84-75-3	ND	ND			1000
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND			1000
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND			1000
Di-n-pentyl phthalate (DPENP)	131-18-0	ND	ND			1000
Conclusion		PASS	PASS			

Note:

RC-CSHZ-R079

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)



Test Report # 22W-018853 Pages: Page 12 of 14

DETAILED RESULTS:

FDA 21 CFR 177.1350, Ethylene-Vinyl Acetate Copolymers

Test Method: FDA 21 CFR 177.1350

Specimen No	21				
Test Item	Test Condition		Docult	RL	Limit
	Temp.	Duration	Result		
Distilled water extractive (mg/in²)	150°F	2 hours	ND	0.1	0.5
n-Heptane extractive (mg/in²)	100°F	0.5 hours	ND	0.1	0.5
8% Ethanol extractive (mg/in²)	150°F	2 hours	0.2	0.1	0.5
50% Ethanol extractive (mg/in²)	150°F	2 hours	ND	0.1	0.5
Conclusion	PASS				

Note:

Temp. = Temperature

°F = Degree Fahrenheit

mg/in²= Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

RC-CSHZ-R079

The specification is quoted from 21 CFR 177.1350 (b) (1).



Test Report # 22W-018853 Pages: Page 13 of 14

SPECIMEN DESCRIPTION:

RC-CSHZ-R079

Specimen No.	Specimen Description	Location
1	Black coating	Zipper head (all styles)
2	Silvery metal	Zipper puller (SM-5912GA)
3	Silvery metal	Zipper slider (SM-5912GA)
4	Black plastic	Zipper teeth (SM-5912GA)
5	Black textile	Zipper cloth (SM-5912GA)
6	Black non-woven textile	Back (SM-5912GA)
7	Grey textile	Front (SM-5912GA)
8	White textile	Zipper puller rope (SM-5912GA)
9	White non-woven textile	Front edge (SM-5912GA)
10	Black plastic	Adjustable buckle (SM-5912GA)
11	Black textile	Handle (SM-5912GA) strap (SM-5903GA)
12	Black coated white label	Label (all styles)
13	Black coated grey textile	Main body (SM-5903GA)
14	Black coated black textile	Back (SM-5903GA)
15	Black textile	Edge of shoulder strap (SM-5903GA)
16	Black mesh textile	Back of shoulder strap (SM-5903GA)
17	Black mesh textile	Side pocket (SM-5903GA)
18	Black textile	Elastic (SM-5903GA)
19	Black soft plastic	Elastic (SM-5903GA)
20	Black textile	Lining (SM-5903GA)
21	White soft plastic	Front pocket lining (SM-5903GA)



Test Report # 22W-018853 Pages: Page 14 of 14

SAMPLE PHOTO:

RC-CSHZ-R079





-End Report-