




**BUREAU  
VERITAS**

CONSUMER PRODUCTS SERVICES DIVISION

**HANGZHOU SPECIAL GLORY INDUSTRIAL CO., LTD.**

**Technical Report: (9121)243-0004**  
Date Received: AUG. 31, 2021

SEP. 06, 2021  
Page 1 of 4



Sample Description:	OVERSIZED STRIPED PICNIC AND BEACH BLANKET		
Vendor:		Sample Size:	1PC
Manufacturer:		Style No(s):	1081-45MTGR
Buyer:	LEED'S	SKN/SKU No.:	N/A
Labeled Age Grade:	N/A	PO No.:	1908411
Appropriate Age Grade:	N/A	Ref #:	N/A
Client Specified Age Grade:	N/A	Country of Origin:	CHINA
Grade:		Assortment No.:	N/A
Tested Age Grade:	N/A	Country of Destination:	UNITED STATES
UPC Code:	N/A		

**EXECUTIVE SUMMARY:**

The sample(s) MEET the following requirement(s):

- Flammability of blankets performed according to ASTM D 4151.
- Canadian flammability - bedding(SOR/2016-194)

**BVCPS (Shanghai) Nanjing branch contact information for this report**

**Technical Questions:**

Nick Qi 025-52076002, E-mail: Nick.Qi@bureauveritas.com

**Concerns About Billing and General Inquires:**

Rita Zhang 025-52076026, E-mail: Rita-Jm.Zhang@bureauveritas.com

**BUREAU VERITAS  
CONSUMER PRODUCTS SERVICES (SHANGHAI)  
NANJING BRANCH**

**LINDA LI  
MANAGER (SOFTLINE&TOYS&ANALYTICAL DIVISION)**

**Bureau Veritas Consumer Products  
Services Shanghai Co., Ltd -Nanjing  
Branch  
6th FLOOR, BLK C ASCENDAS I HUB  
CENTER,  
55# JIANGJUN ROAD, JIANGNING,  
NANJING,  
JIANGSU, CHINA  
Tel: 086-25-52076128 Fax: 086-25-  
52076122  
www.bureauveritas.cn/cps**

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/cps> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



HANGZHOU SPECIAL GLORY INDUSTRIAL CO., LTD.

Technical Report: **(9121)243-0004**

SEP. 06, 2021

Page 2 of 4

**RESULTS:**

**FLAMMABILITY OF BLANKETS (ASTM D4151)**

Equipment No.: BVSHS-2003-0155(02) BVSHS-2007-0445

**FABRIC SURFACE:**  Plain Surface  Raised Surface

FACE SIDE	BURN CODE	BACK SIDE	BURN CODE
1	Non-charred	1	Non-charred
2	Non-charred	2	Non-charred
3	Non-charred	3	Non-charred
4	Non-charred	4	Non-charred
5	Non-charred	5	Non-charred

**FLAMMABILITY CLASSIFICATION:**  CLASS I  
 CLASS II

**REMARK:**

BURN CODE: CHARRED / NON-CHARRED

CLASS I, If none of the paper monitors burn OF ALL SPECIMENS, char, or become discolored after exposing the specimens to the ignition source, the material is classified as Class I

CLASS II, If one or more of the paper monitors burn OF ANY SPECIMENS, char, or become discolored after exposing the specimens to the ignition source, the material is classified as Class II



HANGZHOU SPECIAL GLORY INDUSTRIAL CO., LTD.

Technical Report: **(9121)243-0004**

SEP. 06, 2021

Page 3 of 4

**RESULTS:**

<u>TEST PROPERTY</u>	<u>TEST RESULTS</u>	<u>REQUIREMENTS</u>
<b><u>CANADIAN FLAMMABILITY</u></b> (SOR/2016-194)		
FABRIC SURFACE	PLAIN FIBER SURFACE	
DIRECTION TO BE TESTED	PLAIN FACE LENGTHWISE(ORIGINAL) PLAIN FACE LENGTHWISE(AFTER DRYCLEANING)	
AS RECEIVED (SECONDS)	IBE IBE IBE IBE IBE	TIME OF FLAME SPREAD BURNING CODE
AFTER ONE DRYCLEANING / LAUNDERING (SECONDS)	IBE IBE IBE IBE IBE	TIME OF FLAME SPREAD BURNING CODE
CLASSIFICATION	PASS	

**TEST CRITERIA:**

THE FLAME SPREAD TIME FOR BEDDING WITHOUT A RAISED FIBRE SURFACE, OR BEDDING WITH A RAISED FIBRE SURFACE THAT EXHIBITS IGNITION OR FUSION OF ITS BASE FIBRES, MUST BE GREATER THAN 7 SECONDS.

DNI	DID NOT IGNITE.
IBE	IGNITED, BUT EXTINGUISHED.
SF uc	SURFACE FLASH, UNDER THE STOP THREAD, BUT DOES NOT BREAK THE STOP THREAD.
SF pw	SURFACE FLASH, PART WAY. NO TIME SHOWN BECAUSE THE SURFACE FLASH DID NOT REACH THE STOP THREAD.
SF poi	SURFACE FLASH, AT THE POINT OF IMPINGEMENT ONLY. (EQUIVALENT TO "DID NOT IGNITE" FOR PLAIN SURFACES.)
0.0 sec.	ACTUAL BURN TIME MEASURED AND RECORDED BY THE TIMING DEVICE.
0.0 SF only	TIME IN SECONDS, SURFACE FLASH ONLY. NO DAMAGE TO THE BASE FABRIC.
0.0 SFBB	TIME IN SECONDS, SURFACE FLASH BASE BURN STARTING AT PLACES OTHER THAN THE POINT OF IMPINGEMENT AS A RESULT OF SURFACE FLASH.
0.0 SFBB poi	TIME IN SECONDS, SURFACE FLASH BASE BURN STARTING AT THE POINT OF IMPINGEMENT. THIS RESULT DOES NOT QUALIFY AS A BASE BURN UNDER THE CURRENT INTERPRETATION OF PART OF 16 CFR PART 1610.
0.0 SFBB poi*	TIME IN SECONDS, SURFACE FLASH BASE BURN POSSIBLY STARTING AT THE POINT OF IMPINGEMENT. THE ASTERISK (*) IS ACCOMPANIED BY THE FOLLOWING STATEMENT: "UNABLE TO MAKE ABSOLUTE DETERMINATION AS TO SOURCE OF BASE BURNS." THIS STATEMENT IS ADDED TO THE RESULT OF ANY SPECIMEN IF THERE IS A QUESTION AS TO ORIGIN OF THE BASE BURN.



HANGZHOU SPECIAL GLORY INDUSTRIAL CO., LTD.


Technical Report: **(9121)243-0004**

SEP. 06, 2021

Page 4 of 4

**RESULTS:**

**EXHIBIT**



-----End The Report-----