

TEST REPORT

Test Report # 21W-010933 Date of Report Issue: July 20, 2021
Date of Sample Received: July 7, 2021 Pages: Page 1 of 16

CLIENT INFORMATION:

Company: Polyconcept GBS
Recipient: kathy lu
Recipient Email: kathy.lu@polyconceptgbs.com



SAMPLE INFORMATION:

Description: Reusable Silicone Straw Keychain / Reusable Stretchable SS Straw w/ EcoTube
Article No.: SM-6400BK/BL/GY/OR/RD Purchase Order Number: M000018731
SM-6406CA
Factory No.: - Toy Co./Agency: -
Vendor No.: 10355 Country of Origin: -
Country of Distribution: United States Labeled Age Grade: -
Quantity Submitted: 6 styles Requested Age Grade: -
Testing Period: 07/08/2021-07/19/2021 Tested Age Grade: -

OVERALL RESULT:

PASS

Please refer to the following pages for test result summary and appropriate notes.

QIMA (HANGZHOU) TESTING CO., LTD.

Jeremy Xu

Jeremy Xu
Chemical Laboratory Supervisor

TEST RESULTS SUMMARY:

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings
PASS	California Proposition 65, Total Lead in Paints and Surface Coatings
PASS	California Proposition 65, Total Lead in Substrate Materials
PASS	Canadian Surface Coating Materials Regulations SOR/2016-193, Total Lead and Mercury in Paints and Surface Coatings
PASS	Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)
PASS	Client's requirement, Bisphenol A content
PASS	FDA GRAS Specifications, Total Chromium in Stainless Steel Food Contact Utensils
PASS	FDA 21 CFR 177.2600, Rubber



DETAILED RESULTS:

CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	13	---	---	---	---	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	---	---	---	---	90
Conclusion	PASS	---	---	---	---	

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)



DETAILED RESULTS:

California Proposition 65, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	13	---	---	---	---	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	---	---	---	---	90
Conclusion	PASS	---	---	---	---	

Note:

mg/kg =Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.



DETAILED RESULTS:

California Proposition 65, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+8+10	2+3+4	5+6+9	7	11	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	12	---	---	---	---	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	---	---	---	---	100
Conclusion	PASS	---	---	---	---	

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit =15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.



DETAILED RESULTS:

Canadian Surface Coating Materials Regulations SOR/2016-193, Total Lead in Paints and Surface Coatings

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	13	---	---	---	---	Total Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	---	---	---	---	90
Conclusion	PASS	---	---	---	---	

Note:

mg/kg=Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit: Pb=15 mg/kg; Hg = 10 mg/kg)



DETAILED RESULTS:

Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+8+10	2+3+4	5+6+9	7	11	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	ND	ND	ND	ND	90
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	12	---	---	---	---	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	---	---	---	---	90
Conclusion	PASS	---	---	---	---	

Note:

mg/kg=Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.



DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		1+8+10	2+3+4	5+6+9	11	Limit (mg/kg)
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	1000
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	ND	ND	ND	1000
Conclusion		PASS	PASS	PASS	PASS	

Note:

mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.



DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method: CPSC-CH-C1001-09.4
 Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.	13	---	---	---	Limit (mg/kg)
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	---	---	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	---	---	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	---	---	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	---	---	1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	---	---	1000
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	---	---	1000
Conclusion		PASS	---	---	

Note:

mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)
 LT = Less than
 ND = Not detected (Reporting Limit = 150 mg/kg)
 Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.



DETAILED RESULTS:

Client's requirement, Bisphenol A content

Test Method: In-House Method

Analytical Method: Liquid Chromatography-Mass Spectrometer (LC-MS)

Specimen No.	2	3	4	5	Client's limit (mg/kg)
Test Item CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Bisphenol A (BPA) 80-05-7	ND	ND	ND	ND	Not Detected
Conclusion	PASS	PASS	PASS	PASS	

Specimen No.	6	9	---	---	Client's limit (mg/kg)
Test Item CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Bisphenol A (BPA) 80-05-7	ND	ND	---	---	Not Detected
Conclusion	PASS	PASS	---	---	

Note:

mg/kg=milligram per kilogram

ND=Not Detected(Reporting limit = 1.0mg/kg)



DETAILED RESULTS:

FDA GRAS Specifications, Total Chromium in Stainless Steel Food Contact Utensils

Test Method: SN/T 2718-2010
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	12	---	---	---	---	Limit (% m/m)
Test Item	Result (% m/m)	Result (% m/m)	Result (% m/m)	Result (% m/m)	Result (% m/m)	
Total Chromium (Cr)	18.24	---	---	---	---	GT 10.5
Conclusion	PASS	---	---	---	---	

Note:
 % m/m = Percent by mass
 GT = Greater than



DETAILED RESULTS:

FDA 21 CFR 177.2600, Rubber

Test Method: FDA 21 CFR 177.2600

Specimen No.			2	RL	Limit
Test Item	Test Condition		Result		
	Temp.	Duration			
Distilled water extractive (mg/in ²)	Reflux	First 7 hours	ND	2	20
Distilled water extractive (mg/in ²)	Reflux	Succeeding 2 hours	ND	0.1	1
n-Hexane extractive (mg/in ²)	Reflux	First 7 hours	ND	15	175
n-Hexane extractive (mg/in ²)	Reflux	Succeeding 2 hours	ND	0.4	4
Conclusion			PASS		

Specimen No.			3	RL	Limit
Test Item	Test Condition		Result		
	Temp.	Duration			
Distilled water extractive (mg/in ²)	Reflux	First 7 hours	ND	2	20
Distilled water extractive (mg/in ²)	Reflux	Succeeding 2 hours	ND	0.1	1
n-Hexane extractive (mg/in ²)	Reflux	First 7 hours	ND	15	175
n-Hexane extractive (mg/in ²)	Reflux	Succeeding 2 hours	ND	0.4	4
Conclusion			PASS		

Note:

Temp. = Temperature

mg/in² = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.2600 (e) and 177.2600 (f).



DETAILED RESULTS:

FDA 21 CFR 177.2600, Rubber

Test Method: FDA 21 CFR 177.2600

Specimen No.			4	RL	Limit
Test Item	Test Condition		Result		
	Temp.	Duration			
Distilled water extractive (mg/in ²)	Reflux	First 7 hours	ND	2	20
Distilled water extractive (mg/in ²)	Reflux	Succeeding 2 hours	ND	0.1	1
n-Hexane extractive (mg/in ²)	Reflux	First 7 hours	ND	15	175
n-Hexane extractive (mg/in ²)	Reflux	Succeeding 2 hours	ND	0.4	4
Conclusion			PASS		

Specimen No.			5	RL	Limit
Test Item	Test Condition		Result		
	Temp.	Duration			
Distilled water extractive (mg/in ²)	Reflux	First 7 hours	ND	2	20
Distilled water extractive (mg/in ²)	Reflux	Succeeding 2 hours	ND	0.1	1
n-Hexane extractive (mg/in ²)	Reflux	First 7 hours	ND	15	175
n-Hexane extractive (mg/in ²)	Reflux	Succeeding 2 hours	ND	0.4	4
Conclusion			PASS		

Note:

Temp. = Temperature

mg/in² = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.2600 (e) and 177.2600 (f).



DETAILED RESULTS:

FDA 21 CFR 177.2600, Rubber

Test Method: FDA 21 CFR 177.2600

Specimen No.			6	RL	Limit
Test Item	Test Condition		Result		
	Temp.	Duration			
Distilled water extractive (mg/in ²)	Reflux	First 7 hours	ND	2	20
Distilled water extractive (mg/in ²)	Reflux	Succeeding 2 hours	ND	0.1	1
n-Hexane extractive (mg/in ²)	Reflux	First 7 hours	ND	15	175
n-Hexane extractive (mg/in ²)	Reflux	Succeeding 2 hours	ND	0.4	4
Conclusion			PASS		

Specimen No.			9	RL	Limit
Test Item	Test Condition		Result		
	Temp.	Duration			
Distilled water extractive (mg/in ²)	Reflux	First 7 hours	ND	2	20
Distilled water extractive (mg/in ²)	Reflux	Succeeding 2 hours	ND	0.1	1
n-Hexane extractive (mg/in ²)	Reflux	First 7 hours	ND	15	175
n-Hexane extractive (mg/in ²)	Reflux	Succeeding 2 hours	2.7	0.4	4
Conclusion			PASS		

Note:

Temp. = Temperature

mg/in² = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.2600 (e) and 177.2600 (f).



SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Translucent black plastic	Box (black style)
2	Black soft plastic	Tube (black style)
3	Grey soft plastic	Tube (grey style)
4	Blue soft plastic	Tube (blue style)
5	Red soft plastic	Tube (red style)
6	Orange soft plastic	Tube (orange style)
7	Silvery metal	Ring (orange style)
8	Transparent plastic	Brush
9	Black soft plastic	Top of stretchable straw
10	Black plastic	Main body of tube
11	Black soft plastic	Tube cover
12	Silvery metal	Stretchable straw
13	White coating	Top of brush



SAMPLE PHOTO:



-End Report-

