

## TEST REPORT

Test Report # 21W-021286 Date of Report Issue: September 3, 2021  
Date of Sample Received: August 24, 2021 Pages: Page 1 of 23

### CLIENT INFORMATION:

Company: Polyconcept GBS  
Recipient: kathy lu  
Recipient Email: kathy.lu@polyconceptgbs.com



### SAMPLE INFORMATION:

Description: Sherpa 12oz Vac TBL & Slim Can Insulator, Thor 16oz Tumbler,  
Copper Vacuum Insulated Bottle 17oz ,Corzo Copper Vacuum Insulated Cup 12oz  
Article No.: SM-6598OR, Purchase Order Number: M000022962,  
SM-6667BK/BL/WH, M000023490,  
1624-74TI, M000023608,  
1625-53Mint Green M000023661,  
M000023006,  
M000023551,  
1906939,  
1914737,  
1914738  
Factory No.: 11054 Toy Co./Agency: -  
Vendor No.: 10583 Country of Origin: China  
Country of Distribution: United States Labeled Age Grade: -  
Quantity Submitted: 6 pcs per style Requested Age Grade: -  
Testing Period: 08/24/2021-09/02/2021 Tested Age Grade: -

### OVERALL RESULT:

**PASS**

Please refer to the following pages for test result summary and appropriate notes.

QIMA (HANGZHOU) TESTING CO., LTD.

Jeremy Xu  
Chemical Laboratory Supervisor



QIMA (HANGZHOU) TESTING CO., LTD. ♦ 4-5/F A2 BLDG NO. 1213 HUOJU SOUTH ROAD PUYAN STREET BINJIANG DISTRICT HANGZHOU CHINA

♦ Email: Labtesting@qima.com ♦ Tel: (86) 571 8999 7158.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA (Hangzhou) Testing Co., Ltd.

**TEST RESULTS SUMMARY:**

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings
PASS	California Proposition 65, Total Lead in Paints and Surface Coatings
PASS	California Proposition 65, Total Lead in Substrate Materials
PASS	Canadian Surface Coating Materials Regulations SOR/2016-193, Total Lead and Mercury in Paints and Surface Coatings
PASS	Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content
PASS	Client's requirement, Bisphenol A content
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)
PASS	Client's Requirement, Leachable Lead and Cadmium from Food Contact Articles – Lip and Rim
PASS	FDA GRAS Specifications, Total Chromium in Stainless Steel Food Containers
PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets
PASS	FDA 21 CFR 177.1520, Polypropylene Copolymers
PASS	FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers
PASS	FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Butadiene/Styrene Copolymers



QIMA (HANGZHOU) TESTING CO., LTD. ♦ 4-5/F A2 BLDG NO. 1213 HUOJU SOUTH ROAD PUYAN STREET BINJIANG DISTRICT HANGZHOU CHINA

♦ Email: Labtesting@qima.com ♦ Tel: (86) 571 8999 7158.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA (Hangzhou) Testing Co., Ltd.

### DETAILED RESULTS:

#### CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	4+11+12	7+13+15	---	---	---	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	28	---	---	---	<b>90</b>
<b>Conclusion</b>	PASS	PASS	---	---	---	

*Note:*

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.



**DETAILED RESULTS:**

**California Proposition 65, Total Lead in Paints and Surface Coatings**

Test Method: CPSC-CH-E1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	4+11+12	7+13+15	---	---	---	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	28	---	---	---	<b>90</b>
<b>Conclusion</b>	PASS	PASS	---	---	---	

*Note:*

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

*Remark:*

The specification is quoted from client's requirement.



**DETAILED RESULTS:**

**California Proposition 65, Total Lead in Substrate Materials**

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)  
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+5+10	2	3	6	8+9+14	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	ND	ND	ND	ND	<b>100</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	

*Note:*

mg/kg =Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit =15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

*Remark:*

The specification is quoted from client's requirement.



**DETAILED RESULTS:**

**Canadian Surface Coating Materials Regulations SOR/2016-193, Total Lead and Mercury in Paints and Surface Coatings**

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	4+11+12	7+13+15	---	---	---	Total Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	28	---	---	---	90
<b>Conclusion</b>	PASS	PASS	---	---	---	

*Note:*

mg/kg=Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit: Pb=15 mg/kg; Hg = 10 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.



**DETAILED RESULTS:**

**Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content**

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+5+10	2	3	6	8+9+14	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	ND	ND	ND	ND	<b>90</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	

*Note:*

mg/kg=Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.



**DETAILED RESULTS:**

**Client's requirement, Bisphenol A content**

Test Method: In-House Method  
 Analytical Method: Gas Chromatography-Mass Spectrometer  
 Liquid Chromatography-Mass Spectrometer (LC-MS)

Specimen No.		1	3	5	8	Client's limit (mg/kg)
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Bisphenol A (BPA)	80-05-7	ND	ND	ND	ND	<b>Not Detected</b>
<b>Conclusion</b>		PASS	PASS	PASS	PASS	

Specimen No.		9	10	14	---	Client's limit (mg/kg)
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Bisphenol A (BPA)	80-05-7	ND	ND	ND	---	<b>Not Detected</b>
<b>Conclusion</b>		PASS	PASS	PASS	---	

*Note:*  
 mg/kg=milligram per kilogram  
 ND=Not Detected (Reporting limit = 1.0mg/kg)





**DETAILED RESULTS:**

**California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)**

Test Method: CPSC-CH-C1001-09.4  
 Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		1+5+10	3	4+11+12	7+13+15	Limit (mg/kg)
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	1000
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	ND	ND	ND	1000
<b>Conclusion</b>		PASS	PASS	PASS	PASS	

**Note:**

mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)  
 LT = Less than  
 ND = Not detected (Reporting Limit = 150 mg/kg)  
 Composite results are based on specimen of least mass resulting in highest potential concentration.

**Remark:**

The specification is quoted from client's requirement.



**DETAILED RESULTS:**

**California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)**

Test Method: CPSC-CH-C1001-09.4  
 Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.	8+9+14	---	---	---	Limit (mg/kg)
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)
Dibutyl phthalate (DBP)	84-74-2	ND	---	---	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	---	---	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	---	---	1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	---	---	1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	---	---	1000
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	---	---	1000
<b>Conclusion</b>		PASS	---	---	

**Note:**

mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)  
 LT = Less than  
 ND = Not detected (Reporting Limit = 150 mg/kg)  
 Composite results are based on specimen of least mass resulting in highest potential concentration.

**Remark:**

The specification is quoted from client's requirement.



**DETAILED RESULTS:**

**Client's Requirement, Leachable Lead and Cadmium from Food Contact Articles – Lip and Rim**

Test Method: ASTM C927-80(Reapproved 2019)

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	16-A	16-B	16-C	16-D	16-E	16-F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	300	300	300	300	300	300		
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	<b>4.0</b>
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	<b>0.4</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS	NA	

*Note:*

mL = Millilitres

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb=0.2 mg/L, Cd=0.02 mg/L)

**Remark:**

The limit is quoted from Society of Glass & Ceramic Decorated Products.



**DETAILED RESULTS:**

**Client's Requirement, Leachable Lead and Cadmium from Food Contact Articles – Lip and Rim**

Test Method: ASTM C927-80(Reapproved 2019)

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	17-A	17-B	17-C	17-D	17-E	17-F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	300	300	300	300	300	300		
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	<b>4.0</b>
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	<b>0.4</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS	NA	

*Note:*

mL = Millilitres

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb=0.2 mg/L, Cd=0.02 mg/L)

**Remark:**

The limit is quoted from Society of Glass & Ceramic Decorated Products.



**DETAILED RESULTS:**

**Client's Requirement, Leachable Lead and Cadmium from Food Contact Articles – Lip and Rim**

Test Method: ASTM C927-80(Reapproved 2019)

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	18-A	18-B	18-C	18-D	18-E	18-F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	300	300	300	300	300	300		
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	<b>4.0</b>
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	<b>0.4</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS	NA	

*Note:*

mL = Millilitres

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb=0.2 mg/L, Cd=0.02 mg/L)

**Remark:**

The limit is quoted from Society of Glass & Ceramic Decorated Products.



**DETAILED RESULTS:**

**Client’s Requirement, Leachable Lead and Cadmium from Food Contact Articles – Lip and Rim**

Test Method: ASTM C927-80(Reapproved 2019)

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	19-A	19-B	19-C	19-D	19-E	19-F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	300	300	300	300	300	300		
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	<b>4.0</b>
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	<b>0.4</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS	NA	

*Note:*

mL = Millilitres

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb=0.2 mg/L, Cd=0.02 mg/L)

**Remark:**

The limit is quoted from Society of Glass & Ceramic Decorated Products.



**DETAILED RESULTS:**

**Client's Requirement, Leachable Lead and Cadmium from Food Contact Articles – Lip and Rim**

Test Method: ASTM C927-80(Reapproved 2019)

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	20-A	20-B	20-C	20-D	20-E	20-F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	300	300	300	300	300	300		
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	<b>4.0</b>
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	<b>0.4</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS	NA	

*Note:*

mL = Millilitres

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb=0.2 mg/L, Cd=0.02 mg/L)

**Remark:**

The limit is quoted from Society of Glass & Ceramic Decorated Products.



**DETAILED RESULTS:**

**FDA GRAS Specifications, Total Chromium in Stainless Steel Food Containers**

Test Method: SN/T 2718-2010

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	2	---	---	---	---	Limit (% m/m)
Test Item	Result (% m/m)	Result (% m/m)	Result (% m/m)	Result (% m/m)	Result (% m/m)	
Total Chromium (Cr)	18.11	---	---	---	---	<b>GT 16</b>
<b>Conclusion</b>	PASS	---	---	---	---	

*Note:*

% m/m = Percent by mass

GT = Greater than

*Remark:*

The limit is quoted from ANSI/NSF 51-1997 Section 7.1.2.





**DETAILED RESULTS:**

**FDA 21 CFR 177.1210, Closures with Sealing Gaskets**

Test Method: FDA 21 CFR 177.1210

Specimen No.			3	RL	Limit
Test Item	Test Condition		Result		
	Temp.	Duration			
Distilled water extractive (mg/kg)	Fill boiling	Cooling to 100°F	ND	10	50
n-Heptane extractive (mg/kg)	120°F	0.25 hours	ND	10	50
8% Ethanol extractive (mg/kg)	Fill boiling	Cooling to 100°F	ND	10	50
<b>Conclusion</b>			PASS		

*Note:*

Temp. = Temperature

°F = Degree Fahrenheit

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

*Remark:*

The specification is quoted from 21 CFR 177.1210 Table 2 Section 3.



**DETAILED RESULTS:**

**FDA 21 CFR 177.1520, Polypropylene Copolymers**

Test Method: FDA 21 CFR 177.1520

Specimen No.			1	RL	Limit
Test Item	Test Condition		Result		
	Temp.	Duration			
Density (g/cc)	NA	NA	0.901	NA	0.85 – 1.00
n-Hexane extractive (% w/w)	50°C	2 hours	0.9	0.4	5.5
Xylene extractive (% w/w)	Reflux	2 hours	6	1	30
<b>Conclusion</b>			PASS		

Specimen No.			5	RL	Limit
Test Item	Test Condition		Result		
	Temp.	Duration			
Density (g/cc)	NA	NA	0.879	NA	0.85 – 1.00
n-Hexane extractive (% w/w)	50°C	2 hours	0.5	0.4	5.5
Xylene extractive (% w/w)	Reflux	2 hours	3	1	30
<b>Conclusion</b>			PASS		

**Note:**

Temp. = Temperature

°C = Degree Celsius

g/cc = Grams per cubic centimeter

% w/w = Percent by weight

NA = Not applicable

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

**Remark:**

The specification is quoted from 21 CFR 177.1520 (c) 3.1a.



**DETAILED RESULTS:**

**FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers**

Test Method: FDA 21 CFR 180.22 and 181.32, EN 13130-3:2004

Analytical Method: Headspace-Gas Chromatography

Acrylonitrile Monomers:

Specimen No.		8		RL	Limit
Test Simulant	Test Condition		Result		
	Temp.	Duration			
3% Acetic acid extractive (mg/in <sup>2</sup> )	120°F	2 hours	ND	<b>0.001</b>	<b>0.003</b>
<b>Conclusion</b>			PASS		

Specimen No.		9		RL	Limit
Test Simulant	Test Condition		Result		
	Temp.	Duration			
3% Acetic acid extractive (mg/in <sup>2</sup> )	120°F	2 hours	ND	<b>0.001</b>	<b>0.003</b>
<b>Conclusion</b>			PASS		

*Note:*

Temp. = Temperature

°F = Degree Fahrenheit

mg/in<sup>2</sup> = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

*Remark:*

The specification is quoted from 21 CFR 181.32 (b) (3).



**DETAILED RESULTS:**

**FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers**

Test Method: FDA 21 CFR 180.22 and 181.32, EN 13130-3:2004  
Analytical Method: Headspace-Gas Chromatography

Acrylonitrile Monomers:

Specimen No.		14	Result	RL	Limit
Test Simulant	Test Condition				
	Temp.	Duration			
3% Acetic acid extractive (mg/in <sup>2</sup> )	120°F	2 hours	ND	<b>0.001</b>	<b>0.003</b>
<b>Conclusion</b>			PASS		

*Note:*

Temp. = Temperature  
°F = Degree Fahrenheit  
mg/in<sup>2</sup> = Milligrams per square inch  
LT = Less than  
ND = Not detected. Result value is less than reporting limit (RL).

*Remark:*

The specification is quoted from 21 CFR 181.32 (b) (3).



**DETAILED RESULTS:**

**FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Butadiene/Styrene Copolymers**

Test Method: FDA 21 CFR 180.22 and 181.32, EN 13130-3:2004  
 Analytical Method: Headspace-Gas Chromatography with Mass Spectrometry

Acrylonitrile Monomers:

Specimen No.		10	Result	RL	Limit
Test Simulant	Test Condition				
		Temp.	Duration		
3% Acetic acid extractive (mg/in <sup>2</sup> )	120°F	2 hours	ND	<b>0.001</b>	<b>0.003</b>
<b>Conclusion</b>			PASS		

*Note:*

Temp. = Temperature  
 °F = Degree Fahrenheit  
 mg/in<sup>2</sup> = Milligrams per square inch  
 LT = Less than  
 ND = Not detected. Result value is less than reporting limit (RL).

*Remark:*

The specification is quoted from 21 CFR 181.32 (b) (3).



**SPECIMEN DESCRIPTION:**

Specimen No.	Specimen Description	Location
1	Black plastic	Inner lid (smoky gray style)
2	Silvery metal	Interior (smoky gray style)
3	Translucent soft plastic	Seal ring (smoky gray style)
4	Smoky gray coating	Main body (smoky gray style)
5	Transparent grey plastic	Straw
6	Silvery metal	Main body (white style)
7	White coating	Main body (white style)
8	Black plastic	Inner body (white style)
9	Transparent grey plastic	Lid (white style)
10	Deep grey plastic	Slider (white style)
11	Blue coating	Main body (blue style)
12	Black coating	Main body (black style)
13	Orange coating	Main body (orange style)
14	Transparent plastic	Lid (green style)
15	Green coating	Main body (green style)
16	White coated silvery metal with black plastic	Lip (white style)
17	Blue coated silvery metal with black plastic	Lip (blue style)
18	Black coated silvery metal with black plastic	Lip (black style)
19	Orange coated silvery metal	Lip (orange style)
20	Green coated silvery metal	Lip (green style)



QIMA (HANGZHOU) TESTING CO., LTD. ♦ 4-5/F A2 BLDG NO. 1213 HUOJU SOUTH ROAD PUYAN STREET BINJIANG DISTRICT HANGZHOU CHINA

♦ Email: Labtesting@qima.com ♦ Tel: (86) 571 8999 7158.


Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA (Hangzhou) Testing Co., Ltd.

**SAMPLE PHOTO:**



-End Report-

