

# POLYCONCEPT TEST REPORT

Page 1 of 9

LAB LOCATION: SHANG HAI REPORT NUMBER: EFW523120342-H-01
DATE IN: December 04, 2023 DATE OUT: December 11, 2023

	T .				
Applicant:	Polyconcept GBS				
Contact:	Kathy Lu				
Address:	4th Floor, Hongqiao Rongguang Building, 11 Changshun Road, Changning District, Shanghai, 200051, PRC				
TEL:	13918486858 <b>FAX:</b>				
E-mail:	testprogram@pcna.com; kathy.lu@polyconceptgbs.com; claire.li@polyconceptgbs.com; kkolber@pcna.com				
Сору То:					

<u>IG</u>
X

Sample Information		
	Sample Description:	Speckled Thor Copper Vacuum Insulated Bottle 22oz
	PO Number:	2044633
1.075 - 302	Article Number:	1626-46WH
	Number of Sample Submitted:	10Sets+10 pcs lids+100G silicone
	Factory Number:	10942
	Vendor Number:	10531
	Customer:	Leeds
	Country of Origin:	China
EFW523120342-H-01	Country of Destination:	US/CAN
	Retest - Previous Report No:	/
	Remark:	

For and on behalf of

**Eurofins MTS Consumer Product Testing (Shanghai) Co., Ltd.** 

Chen Lin, Rain

Manager, Hardlines Division

Follow us on LinkedIn



# **POLYCONCEPT TEST REPORT**

Page 2 of 9

Report Number: EFW523120342-H-01

Test Result Summary	
Test Requested	Result
16 CFR 1303 Total Lead in Surface Coatings	PASS
California Proposition 65 Total Lead Content in Surface Coatings and Substrates	PASS
Canadian Consumer Products Containing Lead Regulation (SOR/2018-83) - Total Lead in Substrate	PASS
Phthalate Content (10P)	PASS
Extractable Lead and Cadmium (Lip and Rim) – Client Requirement	PASS
Total Bisphenol A Content	PASS
Material in Contact with Food Articles [Olefin Polymers - Polypropylene Copolymer] – U.S. FDA 21 CFR 177.1520	PASS
Material in Contact with Food Articles [Closures with Sealing Gaskets for Food Containers] – U.S. FDA 21 CFR 177.1210	PASS
FDA GRAS Specifications, Total Chromium in Stainless Steel Food Containers	PASS
19 CFR 134.11 Country of Origin Markings	PASS

#### **COMPONENT BREAKDOWN LIST:**

Test Item	Component Description
Α	Speckled Thor Copper Vacuum Insulated Bottle 22oz
A1	Clear coating(on bamboo lid)
A2	White/Black coating(on bottle)
A3	Silver metal(inner/outer/bottom/lid)
A4	Silver metal(handle)
A5	Black plastic(lid)
A6	Translucent silicone(gasket)
A7	Beige bamboo without coating(lid)



# POLYCONCEPT TEST REPORT

Page 3 of 9

Report Number: EFW523120342-H-01

#### **TEST RESULT:**

### Total Lead Content in Paint or Similar Surface Coating - U.S. CPSC 16 CFR 1303

Test Item	Accessibility	Classification Total Lead (Pb) (ppm)  Result Limit	(Pb) (ppm)	Conclusion	
rest item	(Remark 1)		Result	Limit	Conclusion
A1+A2	Accessible as received	Paint or similar surface coating	<10	90	PASS

#### Method:

1) Lead in paint and other similar surface coatings:

The test is conducted according to the US CPSC Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings, February 25, 2011 (CPSC-CH-E1003-09.1)

Note: ppm = part per million = mg/kg (milligram per kilogram)

"<" = less than



### **POLYCONCEPT** TEST REPORT

Page 4 of 9

Report Number: EFW523120342-H-01

#### **TEST RESULT:**

#### Total Lead Content - Client's Requirement according to the Consent Decrees of California **Proposition 65**

Test Item	Classification	Total Lead (Pb) (mg/kg)		Conclusion	
rest item	Classification	Result	Result Maximum Permissible Limit		
A1+A2	Surface coating	<10	90	PASS	
A3+A4	Substrate	<10	100	PASS	
A5+A6	Substrate	<10	100	PASS	
A7	Substrate	<10	100	PASS	

Method: Sample was digested with reference to EPA 3051. The lead content was analyzed by Atomic Absorption

Spectrophotometer / Inductively Coupled Argon Plasma Spectrometer / Inductively Coupled Plasma Mass

Spectrometer.

Remark: The maximum permissible limit(s) was / were quoted from the client's protocol constructed according to

various Consent Decrees. Compliance with the above stated limit(s) does not show compliance with Proposition 65 or a guarantee against possible legal action but provides a relative level of assurance

against potential lawsuits.

mg/kg = milligram per kilogram Note:

"<" = less than

### Total Lead Content - Canada Consumer Product Safety Act - Consumer Products Containing Lead Regulations (SOR/2018-83)

Test Item	Total Lead (	Conclusion	
rest item	Result Limit		Conclusion
A3+A4	<10	90	PASS

Method: Sample was digested with nitric acid and analyzed by Atomic Absorption Spectrophotometer / Inductively Coupled Plasma Mass Spectrometer.

Note: mg/kg = milligram per kilogram

"<" = less than



# **POLYCONCEPT TEST REPORT**

Page 5 of 9

Report Number: EFW523120342-H-01

#### **TEST RESULT:**

#### **Phthalates Content- Client's Requirement**

Test Item	Phthalates	Phthalates Content (%)	
rest item	Result	Client's requirement	Conclusion
A1+A2	<0.005 (individual)	<0.1 (individual)	PASS
A5+A6	<0.005 (individual)	<0.1 (individual)	PASS

#### List of Phthalates:

Chemical Name	CAS No.	Chemical Name	CAS No.
Dibutyl phthalate (DBP)	84-74-2	Butyl benzyl phthalate (BBP)	85-68-7
Di-2-ethylhexyl phthalate (DEHP) / Dioctyl phthalate (DOP)	117-81-7	Di-iso-butyl phthalate (DIBP)	84-69-5
Di-iso-nonyl phthalate (DINP)	28553-12-0/ 68515-48-0	Di-iso-decyl phthalate (DIDP)	26761-40-0/ 68515-49-1
Di-n-octyl phthalate (DNOP)	117-84-0	Di-n-hexyl phthalate (DNHP/ DHEXP)	84-75-3
Dicyclohexyl phthalate (DCHP)	84-61-7	Dipentyl phthalate (DPP / DPENP)	131-18-0

The test is conducted according to the US CPSC Standard Operation Procedure for Determination of Method:

Phthalates, April 1, 2010 (CPSC-CH-C1001-09.3)

Note: % = percentage

> "<" = less than ">" = more than



# POLYCONCEPT TEST REPORT

Page 6 of 9

Report Number: EFW523120342-H-01

#### **TEST RESULT:**

#### Extractable Lead and Cadmium (Lip and Rim) - Client Requirement

Test Item Unit		Internal Volume (ml)	Leaching Volume (ml)	Concentration relative to Internal Volume (mg/L)	
		, ,		Lead	Cadmium
	(1)	750	100	<0.05	<0.01
	(2)	750	100	<0.05	<0.01
Α	(3)	750	100	<0.05	<0.01
A	(4)	750	100	<0.05	<0.01
	(5)	750	100	<0.05	<0.01
	(6)	750	100	<0.05	<0.01
	Limit (Any 1 of 6 units)			4.0	0.4
Conclusion			PA	SS	

Method: ASTM C927-80 (2019e1). The lead and cadmium contents are determined by Inductively Coupled Argon Plasma Spectrometer / Atomic Absorption Spectrophotometer / Inductively Coupled Plasma Mass

Spectrometer.

Note: mL = milliliter

mg/L = milligrams per liter

"<" = less than

### Bisphenol A Content - Client's Requirement

Test Item	Bisphenol A [CAS N	lo. 80-05-7] (mg/kg)	Conclusion
rest item	Result	Client's Requirement	Conclusion
A5	ND	ND	PASS
A6	ND	ND	PASS

ND = Not detected (Laboratory Reporting Limit = 1mg/kg)

Method: Sample was extracted with organic solvent and then analyzed by Liquid Chromatograph Mass Spectrometer.

Note: mg/kg = milligram per kilogram



# POLYCONCEPT TEST REPORT

Page 7 of 9

Report Number: EFW523120342-H-01

#### **TEST RESULT:**

# <u>Material in Contact with Food Articles [Olefin Polymers - Polypropylene Copolymer] – U.S.</u> FDA 21 CFR 177.1520

Parameter	Unit	Result	Limit	
		A5	LIIIIL	
Density	g/cm <sup>3</sup>	0.914	0.85 - 1.00	
n-Hexane Extractives	% w/w	2.6	≤5.5	
Xylene Extractives	% w/w	4.4	≤30	
Conclusion		PASS	-	

Method: U.S. FDA 21 CFR 177.1520

Note: g/cm<sup>3</sup> = gram per cubic centimetre

% w/w = percent weight by weight

"<" = less than

"≤"= less than or equal to

E-mail: infosh@cpt.eurofinscn.com Website: www.mts-global.com Follow us on LinkedIn



# **POLYCONCEPT TEST REPORT**

Page 8 of 9

Report Number: EFW523120342-H-01

#### **TEST RESULT:**

#### Material in Contact with Food Articles [Closures with Sealing Gaskets for Food Containers] -U.S. FDA 21 CFR 177.1210

Condition of use: C) Hot filled or pasteurized above 150°F

Water (Fill boiling, cool to 100°F), Heptane (120°F, 15min.), 8% Alcohol (Fill boiling, cool to Extracting condition:

100°F)

Parameter	Unit	Result	Limit	
		A6	Limit	
Chloroform - Soluble Extractives				
Distilled Water	ppm	<10	≤50	
n-Heptane	ppm	28	≤50	
8 % Alcohol	ppm	<10	≤50	
Conclusion		PASS	-	

Method: U.S. FDA 21 CFR 177.1210

Remark: 1) Maximum extractives tolerances of different types of closure-sealing gasket composition:

	Maximum Extractives Tolerances (in ppm)			
	Chloroform	Chloroform	Chloroform	
Type of closure-sealing gasket composition	fraction of	fraction of	fraction of	
	water	heptane	alcohol	
	extractives	extractives	extractives	
<ol> <li>Plasticized polymers, including unvulcanized or vulcanized or otherwise cured natural and synthetic rubber formed in place as overall discs or annular rings from a hot melt, solution, plastisol, organisol, mechanical dispersion, or latex</li> </ol>	50	500	50	
2. Performed overall discs or annular rings of plasticized polymers, including unvulcanized natural or synthetic rubber	50	250	50	
3. Performed overall discs or annular rings of vulcanized plasticized polymers, including natural or synthetic rubber	50	50	50	
<ol> <li>Performed overall discs or annular rings of polymeric or resinous-coated paper, paperboard, plastic, or metal foil substrates</li> </ol>	50	250	50	
<ol> <li>Closures with sealing gaskets or sealing compositions as described in 1,2, 3and 4, and including paper, paperboard, and glassine used for dry foods only</li> </ol>	Not applicable	Not applicable	Not applicable	

ppm = part per million Note:

"<" = less than

"≤"= less than or equal to

Eurofins MTS Consumer Product Testing (Shanghai) Co., Ltd

No. 105 Guangzhong Rd., Zhuanqiao Town, Minhang, Shanghai, China P.R.C.201108 Tel: (86) 21-23509600 Fax: (86) 21-23509700



### POLYCONCEPT TEST REPORT

Page 9 of 9

Report Number: EFW523120342-H-01

#### **TEST RESULT:**

### Total Chromium content as specified in NSF/ANSI 51-2012, section 4.2.1.2

Test Item	Total Chrom	Conclusion	
	Result	Limit	Conclusion
A3	18.08	≥16	PASS

Method: Acid digestion, analysis by ICP-OES

#### **TEST RESULT:**

Test Property	Method	Applicable Components	Limits	Notes	Result
19 CFR 134.11 Country of Origin Markings	Not Applicable	Per Review	Not Applicable	Products Manufactured outside of USA.	PASS

#### **NOTE:**

If there is question or concern regarding the above results, please contact us via email coco.yu@cpt.eurofinscn.com

This test report is governed by the Terms and Conditions, available on request or attached to the end of this test report. Attention is especially drawn to the limitations of liability, indemnification and jurisdictional provisions defined therein. This report is issued strictly based on the testing of the samples submitted by you. The test results in this report refer only to the sample(s) actually tested and do not refer or be deemed to refer to any bulk production from which such sample(s) may be said to have been obtained. In the event that Eurofins MTS Consumer Product Testing (Shanghai) Co., Ltd ("ERF") was requested to survey and test any bulk production quantity of samples, ERF, in the absence of any contrary written instructions, performed random sampling of bulk production for testing purposes. Variations in the conditions under which samples are stored, transported, etc., may lead to variations in the test results. ERF cannot anticipate and shall not be held responsible for variations in test results that may be due to factors beyond ERF' control, such as, sample cross-contamination, evaporation of volatile substances due to storage temperature, humidity, etc. This report does not constitute a recommendation, actual or implied, for any specific course of action. Other than the expressed warranties made in the Terms and Conditions of the ERF Test Request Form, ERF makes no warranties or representations either express or implied with respect to this report. In no circumstances whatsoever shall ERF be liable for any consequential, special or incidental damages arising out of, or in connection with, this report. As per regulation of China Metrology Accreditation (CMA), a report without CMA accreditation logo will not serve as testimonial to the public for the purpose defined by CMA regulations.

Tel: (86) 21-23509600 Fax: (86) 21-23509700