Test reports for Forge Flow VSS and Fit Cap VSS for LEEDS



The undersigned, representing the following supplier

CamelBak Products, LLC

2000 South McDowell Blvd, Suite 200 Petaluma, CA 94954, USA

Declare, under our sole responsibility, that the following US/Canada compliance testing requirements

Regulation ID	Description
US FDA 21 CFR Part 177	Food contact materials and articles (indirect additives)

for the following products:

CamelBak® Forge FlowTM vacuum stainless steel bottles, in the following configurations (product of China):

- Leeds #1627-47BK, CB SKU 2956001050, Forge Flow, SST Vacuum Insulated, 16oz, Black, Leeds SMU

CamelBak® Fit CapTM vacuum stainless steel bottles, in the following configurations (product of China):

- Leeds #1627-48BK, CB SKU 2955001101, Fit Cap, SST Vacuum Insulated, 32oz, Black, Leeds SMU

are satisfied by the attached test report(s), summarized as follows:

		report			
Lab	report ID	date	pages	Tested Item	Requirement
SGS	QDHL2304005630CW	5/11/2023	8	Plastic parts in Fit	FDA 21 CFR plastics in food
Qingdao				Cap and Forge Flow	contact; Canada lead in
					plastic parts; BPA in plastic
					parts
SGS	QDHL2204003456CW	5/20/2022	9	12 powdercoat	Canada lead in coatings; EN
Qingdao				colors	71-3 heavy metals in coatings

The technical construction file and supplemental information required by the regulation is maintained at the corporate headquarters of:

CamelBak Products, LLC at 2000 South McDowell Blvd, Suite 200, Petaluma, CA 94954 USA

The authorized representative located within the European Community is:

CamelBak Products, LLC, River House, St. Mary's Road, Newcastle West, Ireland

Test reports for Forge Flow VSS and Fit Cap VSS for LEEDS



I, the undersigned, hereby declare that the products specified above conform to the listed directives and standards.

Name: <u>Mitch Gordon</u>

Signature: Which Lorden

Company Title: Regulatory Manager

Date: Oct. 23, 2023



Test Report No.: QDHL2304005630CW Date: May 11, 2023 Page 1 of 8

SINOGLASS HOUSEWARES CO.,LTD.

26TH FLOOR, EAST TOWER, TRIUMPH PLAZA, 43 DONG HAI XI ROAD, QINGDAO, P.R. CHINA 266071

Sample Description : MISC FORGE FLOW AND FIT CAP PARTS, FC+NON-FC

Buyer : CAMELBAK PRODUCTS LLC

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

SGS Ref No. : TAOHG2302961601 / TAOHG2302960401

Sample Receiving Date : Apr 28, 2023 Final Information Date : May 11, 2023

Test Performing Date : Apr 28, 2023 to May 11, 2023

Te	st Requested	Test Result
1.	Canada Consumer Product Safety Act(S.C. 2010, c. 21), Consumer Products Containing Lead Regulations (SOR/2018-83, CPCLR)-Total Lead (Non-Metal)	Pass
2.	Bisphenol-A	Pass
3.	US FDA 21 CFR 177.2600- Total extractives	Pass
4.	US FDA 21 CFR 177.1520- Extractable fraction	Pass
5.	US FDA 21 CFR 177.1520- Soluble fraction in Xylene	Pass
6.	US FDA 21 CFR 177.1520- Density at 23°C	See Results
	716-7) I/I

Remark: Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Signed for and on behalf of

SGS-CSTC Standards Technical Services (Qingdao) Co., Ltd.

Zhou Xinkuan, SK Authorized Signatory





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessable at https://www.sas.com/en/Trans-and-Conditions. Advised that information contained bereen reflects the Company's findings at the time of its intervention only and within the limits of Chers's instructions, if any. The Company's sole exponsibility is to its Chers and this document does not exponent as parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No.: QDHL2304005630CW Date: May 11, 2023 Page 2 of 8

Appendix:

No.	Part ID.	Part Description	Material	SGS Sample ID	SGS Description
001	106422001	cap body, Forge Flow, Black	PP copolymer	TAO23-029604.001 TAO23-029616.001	Black plastic lid (106422001)
002	107411001	main cap, Fit Cap, Black/Black	PP copolymer	TAO23-029604.002 TAO23-029616.002	Black plastic lid (107411001)
003	104411001	gasket, main cap, Chute Mag, Dk.Grey (RAL7012)	silicone	TAO23-029604.003 TAO23-029616.003	Grey silicone rubber ring
004	106426001	vessel gasket, Forge Flow, Black	silicone	TAO23-029604.004 TAO23-029616.004	Black silicone rubber ring
005	106425001	seal bar, Forge Flow, Black	PP copolymer+ glass fill	TAO23-029604.005 TAO23-029616.005	Black plastic lid (106425001)
006	105961001	Base Pad, 16oz, Forge Flow, Black	silicone	TAO23-029616.006	Black silicone rubber pad
007	106429001	snap fit slider, Forge Flow, Black	PP copolymer	TAO23-029616.007	Black plastic slider
800	107414001	handle, Fit Cap, Black	PP copolymer	TAO23-029616.008	Black plastic handle
009	106428001	trigger button, Forge Flow, Black	PP copolymer	TAO23-029616.009	Black plastic button
010	106427001	trigger guard, Forge Flow, Black	acetal	TAO23-029616.010	Black plastic ring

Test Result(s):

Canada Consumer Product Safety Act(S.C. 2010, c. 21), Consumer Products Containing Lead Regulations (SOR/2018-83, CPCLR)—Total Lead (Non-Metal)

Test Method: Samples were prepared with reference to Health Canada, Product Safety Laboratory, Book 5 -Laboratory Policies and Procedures, Part B: Test Methods Section, Method C-02.3. analysis was performed by ICP-OES.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL
Total Lead (Pb)	0.009	%	0.002

Test Item(s)	No.001	No.002	No.003	No.004	No.005
Total Lead (Pb)	ND	ND	ND	ND	ND
Conclusion	PASS	PASS	PASS	PASS	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessable at https://www.sas.com/eniTame.and-Conditions, Alternation is drawn to the limitation of Isability, indemnification and jurisdiction issued addined therein. Any holder of this document is advised that information contained bereen reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's socie responsibility is to its Client and this document does not excend to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any uncuthorized alteration, forgery or falsification of the content or expectance of this document is unterful and offenders may be prosecuted to the fulliest extent of the law.



Test Report No.: QDHL2304005630CW Date: May 11, 2023 Page 3 of 8

Test Item(s)	No.006	No.007	No.008	No.009	No.010
Total Lead (Pb)	ND	ND	ND	ND	ND
Conclusion	PASS	PASS	PASS	PASS	PASS

Remarks:

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

2. Bisphenol-A

Test Method: In house method, analysis was conducted by HPLC-MS.

Test Item(s)	<u>Limit</u>	Unit	MDL
Bisphenol-A	0.1	mg/kg	0.1

Test Item(s)	No. 001	No.002	No.003	No.004	No.005
Bisphenol-A	ND	ND	ND	ND	ND
Conclusion	PASS	PASS	PASS	PASS	PASS

Test Item(s)	No.006	No.007	No.008	No.009	No.010
Bisphenol-A	ND	ND	ND	ND	ND
Conclusion	PASS	PASS	PASS	PASS	PASS

Notes:

(1) The maximum permissible limit is quoted from the client's requirement.

Remarks:

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlead, available on request or accessible at https://www.sgs.comien/Terms.and-Conditions, Albertion is drawn to the limitation of liability, indemnification end jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's socie responsibility is to its Client and this document document to a transaction from exercising all their rights and obligations under the transaction documents. This document connot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulliest except of the law.



Test Report No.: QDHL2304005630CW Date: May 11, 2023 Page 4 of 8

3. US FDA 21 CFR 177.2600- Total extractives

Test Method: With reference to US FDA 21 CFR 177.2600.

Simulant Used	Time	Temperature	Max. Permissible Limit	No. 003 Total Extractives	No. 004 Total Extractives	Conclusion
Distilled Water	7.0hr(s)	Reflux temperature	20mg/inch²	<0.5mg/inch²	<0.5mg/inch²	PASS
Distilled water Succeeding Extraction	2.0hr(s)	Reflux temperature	1mg/inch²	<0.5mg/inch²	<0.5mg/inch²	PASS
n-Hexane	7.0hr(s)	Reflux temperature	175mg/inch²	9.9mg/inch²	6.9mg/inch²	PASS
n-Hexane Succeeding Extraction	2.0hr(s)	Reflux temperature	4mg/inch²	<0.5mg/inch²	<0.5mg/inch²	PASS

Remarks:

- (1) mg/dm2 = milligram per square decimeter
- (2) mg/kg = milligram per kilogram
- (3) "C = degree Celsius
- (4) < = less than
- (5) MDL = Method Detection Limit
- (6) ND = Not Detected (< MDL)

4. US FDA 21 CFR 177.1520- Extractable fraction

Test Method: With reference to US FDA 21 CFR 177.1520 (d)(3)(ii).

n-Hexane	2hr(s)	50°C	5.5% (w/w)
THEXAITE	2111(3)	30 C	3.370 (W/W)

Simulant Used	No.001	No.002	No.005
n-Hexane	<0.5% (w/w)	<0.5% (w/w)	0.7% (w/w)
Conclusion	PASS	PASS	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or sociesable at https://www.sgs.com/en/Torms-and-Conditions. Alternion is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's socie responsibility is to its Client and this document document does not expense to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No.: QDHL2304005630CW Date: May 11, 2023 Page 5 of 8

Remarks:

- (1) mg/dm2 = milligram per square decimeter
- (2) mg/kg = milligram per kilogram
- (3) °C = degree Celsius
- (4) < = less than
- (5) MDL = Method Detection Limit
- (6) ND = Not Detected (< MDL)

5. US FDA 21 CFR 177.1520- Soluble fraction in Xylene

Test Method: With reference to US FDA 21 CFR 177.1520(d)(4)(ii).

Test Item(s)	Limit	Unit	MDL
Soluble fraction in Xylene	30	% (w/w)	0.5

Test Item(s)	No.001	No.002	No.005
Soluble fraction in Xylene	8.2	23.0	3.8
Conclusion	PASS	PASS	PASS

Remarks:

- (1) mg/dm2 = milligram per square decimeter
- (2) mg/kg = milligram per kilogram
- (3) "C = degree Celsius
- (4) < = less than
- (5) MDL = Method Detection Limit
- (6) ND = Not Detected (< MDL)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlead, audioble on request or accessable at histograms, comient Terms and Conditions, althoring is drawn to the limitation of Isability, indemnification end jurisdiction issues defined therein. Any holder of this document is advised that information contained bereen reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's socie responsibility is to its Client and this document does not excend to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or expectance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No.: QDHL2304005630CW Date: May 11, 2023 Page 6 of 8

US FDA 21 CFR 177.1520- Density at 23°C

Test Method: With reference to US FDA 21 CFR 177.1520 d (1).

Test Item(s)	Limit	No.001	No.002	No.005
Density at 23°C, g/ cm³	0.85-1.00	0.90	0.89	1.16
Conclusion		Pass	Pass	-

Remarks:

- (1) mg/dm² = milligram per square decimeter
- (2) mg/kg = milligram per kilogram
- (3) "C = degree Celsius
- (4) < = less than
- (5) MDL = Method Detection Limit
- (6) ND = Not Detected (< MDL)

Notes:

The FDA tests are intended for the raw/virgin polymer material. Since this was not available, the finished article was tested, and this testing included the polymer and all the other substances that were added during the manufacturing process. It is recommended that the physical parameters be tested on the raw/virgin polymer material.

Remark: Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w = 0) stated in ILAC-G8:09/2019.

Sample Photo:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, Unless observes agreed in writing, this document is suised by the Company subject to its General Conditions of Service printed oversels, available on request or accessible at https://www.es.com/en/Terms-and-Conditions. Attention is drawn to the limitation of Bibblity, indemnification end jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excend paints to a transaction from exercising all their rights and obligations under the transaction documents. This document opnort be reproduced except in full, without prior written approval of the Company. Any unsulforized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullist extent of the law.

rticity of tasting / inspection report & certificate, please contact us at telephone; (88-755) 8307 1442,


ARSO - 166101

SGS Center, No. 143, Zhuzhou Road, Laeshan District, Gingdae, Shandong, China 266101 中国、山东、青岛市统山区岭海路143号强行山心

+ (86_532) 68009888



Test Report No.: QDHL2304005630CW Page 7 of 8 Date: May 11, 2023










Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sas.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification end jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's flodings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excessing all their rights and obligations under the transaction documents. This document connot be reproduced except in full, without prior written approval of the Company. Any unsulth-cited alteration, forgery or fall-allication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullist except of the law.



Test Report No.: QDHL2304005630CW Date: May 11, 2023 Page 8 of 8





SGS authenticate the photo on original report only

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlead, available on request or accessable at https://www.sgs.com/en/Terms-and-Conditions. Albertion is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, it say. The Company's socie responsibility is to its Client and this document document are parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulliest extent of the law.



Test Report No.: QDHL2204003456CW Date: Apr 20, 2022 Page 1 of 9

SINOGLASS HOUSEWARES CO.,LTD. 26TH FLOOR, EAST TOWER, TRIUMPH PLAZA, 43 DONG HAI XI ROAD, QINGDAO, P.R.CHINA 266071

Sample Description : STAINLESS VESSELS POWDERCOAT

: CAMELBAK PRODUCTS LLC Buyer

Manufacturer : SINOGLASS HOUSEWARES CO.,LTD Supplier : SINOGLASS HOUSEWARES CO.,LTD

Country of Origin : CHINA

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

********* SGS Ref No. : TAOHG2201868901

Sample Receiving Date : Apr 07, 2022 Final Information Date : Apr 19, 2022

Test Performing Date : Apr 07, 2022 to Apr 20, 2022

Test Requested Test Result

1. EN 71-3:2019+A1:2021, as specified by clients- Migration of certain Pass

elements(Category III:for scrapped-off toy material)

2. Canada Consumer Product Safety Act(S.C. 2010, c. 21), Surface Pass

Coating Materials Regulations (SOR/2016-193), as specified by clients- Total Lead and Mercury in surface coating materials

Remark: Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Signed for and on behalf of

SGS-CSTC Standards Technical Services (Qingdao) Co., Ltd.

Zhou Xinkuan, SK

Authorized Signatory







Test Report No.: QDHL2204003456CW Date: Apr 20, 2022 Page 2 of 9

Appendix:

No.	Part No.	Material	SGS Sample ID	SGS Description
1	- PC-Black	powdercoat, dried, Black	TAO22-018689.001	Black coating on metal
2	- PC-Coastal	powdercoat, dried, Coastal	TAO22-018689.002	Cyan coating on metal
3	- PC-Lagoon	powdercoat, dried, Lagoon	TAO22-018689.003	Dark cyan coating on metal
4	- PC-Dune	powdercoat, dried, Dune	TAO22-018689.004	Brown coating on metal
5	- PC-Larkspur	powdercoat, dried, Larkspur	TAO22-018689.005	Blue coating on metal
6	- PC-Magenta	powdercoat, dried, Magenta	TAO22-018689.006	Purple coating on metal
7	- PC-Moss	powdercoat, dried, Moss	TAO22-018689.007	Dark green coating on metal
8	- PC-Mint	powdercoat, dried, Mint	TAO22-018689.008	Light green coating on metal
9	- PC-Navy	powdercoat, dried, Navy	TAO22-018689.009	Navy blue coating on metal
10	- PC-TerracottaRose	powdercoat, dried, Terracotta Rose	TAO22-018689.010	Terracotta coating on metal
11	- PC-CamelliaPink	powdercoat, dried, Camellia Pink	TAO22-018689.011	Pink coating on metal
12	- PC-White	powdercoat, dried, White	TAO22-018689.012	White coating on metal





Test Report No.: QDHL2204003456CW Date: Apr 20, 2022 Page 3 of 9

Test Results:

1. EN 71 3:2019+A1:2021,as specified by clients- Migration of certain elements (Category III:for scrapped off toy material)

Test Method: With reference to EN 71-3:2019+A1:2021, analysis was performed by ICP-OES, IC-UV. Soluble Organic Tin was analyzed by GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>
Soluble Chromium (VI) (Cr VI)	0.053	mg/kg	0.025
Soluble Lead (Pb)	23	mg/kg	5
Soluble Antimony (Sb)	560	mg/kg	10
Soluble Arsenic (As)	47	mg/kg	10
Soluble Barium (Ba)	18750	mg/kg	50
Soluble Cadmium (Cd)	17	mg/kg	5
Soluble Chromium (III) (Cr III)	460	mg/kg	5
Soluble Mercury (Hg)	94	mg/kg	10
Soluble Selenium (Se)	460	mg/kg	10
Soluble Boron (B)	15000	mg/kg	50
Soluble Cobalt (Co)	130	mg/kg	10
Soluble Manganese (Mn)	15000	mg/kg	50
Soluble Strontium (Sr)	56000	mg/kg	50
Soluble Zinc (Zn)	46000	mg/kg	50
Soluble Copper (Cu)	7700	mg/kg	50
Soluble Aluminum (Al)	28130	mg/kg	50
Soluble Nickel (Ni)	930	mg/kg	10
Soluble Tin (Sn)	180000	mg/kg	3
Soluble Organic Tin*	12	mg/kg	-
Methyl tin (MeT)		mg/kg	0.5
Di-n-propyl tin (DProT)	20	mg/kg	0.5
Dibutyl tin (DBT)	π.	mg/kg	0.5
Tributyl tin (TBT)	2	mg/kg	0.5
n-Octyl tin (MOT)	+:	mg/kg	0.5
Tetrabutyl tin (TeBT)	-	mg/kg	0.5
Diphenyl tin (DPhT)	-	mg/kg	0.5
Di-n-octyl tin (DOT)	5:	mg/kg	0.5
Triphenyl tin (TPhT)	<u> </u>	mg/kg	0.5
Butyl tin(BuT)	#	mg/kg	0.5
Di-methyl tin(DMT)	- 8	mg/kg	0.5
Sum of Soluble Organic Tin	12	mg/kg	_



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.ngs.com/en/Terms-and-Conditions.gpx and, for electronic format document subject to Terms and Conditions for Electronic Documents at http://www.ngs.com/en/Terms-and-Conditions/Terms-a-Document age Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excertable parties to transaction from exercising all their rights and obligations under the transaction documents. This document consider the produce except in full, without prior written approval of the Company, Any unauthorized afteration, forget or fairification of the content of this document is uninvisual and offenders may be prosecuted to the fullest extent of the law.



Test Report No.: QDHL2204003456CW Date: Apr 20, 2022 Page 4 of 9

Test Item(s)	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6
Soluble Chromium (VI) (Cr VI)	ND	ND	ND	ND	ND	ND
Soluble Lead (Pb)	ND	ND	ND	ND	ND	ND
Soluble Antimony (Sb)	ND	ND	ND	ND	ND	ND
Soluble Arsenic (As)	ND	ND	ND	ND	ND	ND
Soluble Barium (Ba)	229	379	333	330	401	318
Soluble Cadmium (Cd)	ND	ND	ND	ND	ND	ND
Soluble Chromium (III) (Cr III)	7	ND	ND	ND	ND	ND
Soluble Mercury (Hg)	ND	ND	ND	ND	ND	ND
Soluble Selenium (Se)	ND	ND	ND	ND	ND	ND
Soluble Boron (B)	ND	ND	ND	ND	ND	ND
Soluble Cobalt (Co)	ND	ND	ND	ND	ND	ND
Soluble Manganese (Mn)	ND	ND	ND	ND	ND	ND
Soluble Strontium (Sr)	ND	124	108	92	68	125
Soluble Zinc (Zn)	ND	ND	ND	ND	ND	ND
Soluble Copper (Cu)	ND	ND	ND	ND	ND	ND
Soluble Aluminum (Al)	223	311	251	723	335	315
Soluble Nickel (Ni)	ND	ND	ND	ND	ND	ND
Soluble Tin (Sn)	ND	ND	ND	ND	5	ND
Soluble Organic Tin*	ND	ND	ND	ND	(7)	ND
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS
Methyl tin (MeT)	-	177	1070	5	ND	974
Di-n-propyl tin (DProT)	2	727		2	ND	_
Dibutyl tin (DBT)	-		1043		ND	3-3
Tributyl tin (TBT)	-	272	157	71	ND	57.0
n-Octyl tin (MOT)	-	141	12	2	ND	-
Tetrabutyl tin (TeBT)		3.70	0,50	=	ND	(, t)
Diphenyl tin (DPhT)	2	920	(2)	2	ND	220
Di-n-octyl tin (DOT)	-	(-)	-		ND	S-8
Triphenyl tin (TPhT)	-	9 7 9	1873	-	ND	350
Butyl tin(BuT)	-	. S a 3	-	-	1.4	120
Di-methyl tin(DMT)	-	171	555	-	ND	2.72
Sum of Soluble Organic Tin	-	750	(S)	7.	1.4	170
Conclusion					PASS	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed everteer, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents and Http://www.ags.com/en/Terms-and-Conditions.aspx.and.aspx.attention is drawn to the limitation of liability, indemnification and pristded in issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's Indiangs at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exceed within the limits of transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest stend of the law.

Attention, To check the authenticity of testing finance transaction accounted to a the finance of the document cannot be reproduced as a supplement of the content of the solutions.



Test Report No.: QDHL2204003456CW Date: Apr 20, 2022 Page 5 of 9

Test Item(s)	No. 7	No. 8	No. 9	No. 10	No. 11	No. 12
Soluble Chromium (VI) (Cr VI)	ND	ND	ND	ND	ND	ND
Soluble Lead (Pb)	ND	5	ND	ND	ND	ND
Soluble Antimony (Sb)	ND	ND	ND	ND	ND	ND
Soluble Arsenic (As)	ND	ND	ND	ND	ND	ND
Soluble Barium (Ba)	346	358	348	357	391	337
Soluble Cadmium (Cd)	ND	ND	ND	ND	ND	ND
Soluble Chromium (III) (Cr III)	ND	ND	ND	ND	ND	ND
Soluble Mercury (Hg)	ND	ND	ND	ND	ND	ND
Soluble Selenium (Se)	ND	ND	ND	ND	ND	ND
Soluble Boron (B)	ND	ND	ND	ND	ND	ND
Soluble Cobalt (Co)	ND	ND	ND	ND	ND	ND
Soluble Manganese (Mn)	ND	ND	ND	ND	ND	ND
Soluble Strontium (Sr)	89	104	141	61	97	83
Soluble Zinc (Zn)	ND	ND	ND	ND	ND	ND
Soluble Copper (Cu)	ND	ND	ND	ND	ND	ND
Soluble Aluminum (Al)	553	435	70	317	481	722
Soluble Nickel (Ni)	ND	ND	ND	ND	ND	ND
Soluble Tin (Sn)	ND	ND	ND	ND	ND	ND
Soluble Organic Tin*	ND	ND	ND	ND	ND	ND
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS

Notes:

(1) According to Chapter of 10.1.2 of EN 71-3:2019+A1:2021, Chromium (III) is calculated by the following formula:

Soluble Chromium (III) = Soluble Total Chromium - Soluble Chromium (VI)

(2) *Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN 71-3:2019+A1:2021.

Remarks:

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated





Test Report No.: QDHL2204003456CW Date: Apr 20, 2022 Page 6 of 9

2. Canada Consumer Product Safety Act(S.C. 2010, c. 21), Surface Coating Materials Regulations (SOR/2016 193),as specified by clients Total Lead and Mercury in surface coating materials

Test Method: Samples were prepared with reference to Health Canada, Product Safety Laboratory, Book 5 -Laboratory Policies and Procedures, Part B: Test Methods Section, Method C-02.2(total Pb), Method C-07(total Hg), analysis was performed by ICP-OES.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL
Total Lead (Pb)	0.0090	%	0.0020
		-	·
Test Item(s)	No. 1	No. 2	No. 3
Total Lead (Pb)	ND	ND	ND
Conclusion	PASS	PASS	PASS
Took Home(c)	No. 4	No. 5	No C
Test Item(s)	No. 4	No. 5	No. 6
Total Lead (Pb)	ND	ND	ND
Conclusion	PASS	PASS	PASS
Test Item(s)	No. 7	No. 8	No. 9
Total Lead (Pb)	ND	ND	ND
Conclusion	PASS	PASS	PASS
(1)	· ·		0.1
Test Item(s)	No. 10	No. 11	No. 12
Total Lead (Pb)	ND	ND	ND
Conclusion	PASS	PASS	PASS

Remarks:

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

Remark:


Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w = 0) stated in ILAC-G8:09/2019.





Test Report No.: QDHL2204003456CW Date: Apr 20, 2022 Page 7 of 9

Sample Photo:










Test Report No.: QDHL2204003456CW Date: Apr 20, 2022 Page 8 of 9








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions apparant, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T



Test Report No.: QDHL2204003456CW Date: Apr 20, 2022 Page 9 of 9





SGS authenticate the photo on original report only

End of Report

